2

3

4

5

8

7

9

11

12

13

14

15

16 17

8

19 \*

2

3 11

4

IN THE UNITED STATES DISTRICT COURT NORTHERN DISTRICT OF ILLINOIS EASTERN DIVISON

THE MAGNAVOX COMPANY, a corporation,) and SANDERS ASSOCIATES, INC., a ) corporation,

Plaintiffs,

VS
MATTEL, INC., a corporation,
SEARS, ROEBUCK & COMPANY,
a corporation,

Defendants.

80 C 4124

DOCKETED

AUG 19 1982

Before The HONORABLE GEORGE N. LEIGHTON, Judge

Thursday, July 8, 1982

10:00 a.m.

FILED AUG 10 m

The trial was resumed pursant to adjournment of the company of the trial was resumed pursant to adjournment of the company of the trial was resumed pursant to adjournment of the company of the trial was resumed pursant to adjournment of the company of the trial was resumed pursant to adjournment of the company of the trial was resumed pursant to adjournment of the company of the trial was resumed pursant to adjournment of the company of the trial was resumed pursant to adjournment of the company of the trial was resumed pursant to adjournment of the company of the trial was resumed pursant to adjournment of the company of the trial was resumed pursant to adjournment of the company of the trial was resumed pursant to adjournment of the company of the trial was resumed pursant to adjournment of the company of the company

Present:

MR. THEODORE ANDERSON .
MR. JAMES T. WILLIAMS

MR. GRANGER COOK, JR., MR. EDWARD D. MANZO

158

THE COURT: Good morning.

MR. ANDERSON: Good morning, your Honor.

MR. COOK: Good morning, your Honor.

THE COURT: Dr. Chandler, resume the witness chair.

DAVID P. CHANDLER,

duly sworn, was examined and testified further as follows:

CROSS EXAMINATION (continued)

## BY MR. ANDERSON:

O Dr. Chandler, yesterday we covered the results of the play of the Mattel master component and the six cartridges that are accused, and I'd like to now direct attention to how the game operates to produce the results in the form of a picture on the television screen.

I think you testified that it is convenient to use the same clock source for various signals in the Mattel game, is that right?

- A That's correct.
- Q And that clock is basically the color signal at 3.58 megahertz or megacycles per second, is that right?
- A It actually starts out as double that frequency in the system and gets counted a couple of times before it gets to be the CPU clock.
- Q But the highest frequency that's used in the system for any operations, is that 3.58 megahertz?

3

4 5

6 7

8

3,

1

No, it is double that. The color chip uses the A double frequency.

And with respect to the rest of the game, other than the color chip, it uses nothing more than 3.58 times the color burst frequency?

That's right. at 60 herts of to cycles per second, is that sacker.

That is the source of signal that gets counted down to produce a signal that is at approximately 60 cycles Fer secred, yes.

Does it shift around or is it a particular fraquency?

It is a fixed number. It is not exactly 60 cycles a sacond. It is very close.

Do you know what it is?

hot exactly.

but it is very close? 0

Very clean, - ws.

Loss than a cycle away from that or two?

YAS.

And that STIC chip binnal is used to clock the various operations in the clif chip, is that the way that functions?

A The 60 cycle signal is not used precominently indica the exic chio. The 3,337 -- 3.579 regaments segret cle . is used excensively inside the soic said.

And the color chip is the last chip that we talked about yesterday before you -- after the output of the television signals from the STIC and before the color chip applies those signals to the RF modulator to put the picture on the screen.

A That's correct, yes, head recrease, it is the sure

Q Now, that same clock provides a STIC clock signal at 60 hertz or 60 cycles per second, is that right?

A That is the source of signal that gets counted down to produce a signal that is at approximately 60 cycles per second, yes.

- Q Does it shift around or is it a particular frequency?
- A It is a fixed number. It is not exactly 60 cycles a second. It is very close.
  - Q Do you know what it is?
  - A Not exactly.
  - Q But it is very close?
  - A Very close, yes.
  - Q Less than a cycle away from that or two?
  - A Yes.
- Q And that STIC chip signal is used to clock the various operations in the STIC chip, is that the way that functions?

A The 60 cycle signal is not used predominantly inside the STIC chip. The 3.587 -- 3.579 megahertz signal clock is used extensively inside the STIC chip.

- Q What use is made of the 60 hertz STIC clock signal?
- A It is used to create the vertical sync pulse.

That's really why it's created, to create the vertical sync pulse, and it also, since the communication with the STIC chip has to be done during vertical retrace, it is the source then of the interrupt signal for the rest of the system.

- Q And that interrupt signal is called SR-1?
- no A That's correct.

1

2

3

4

5

- G Ti's provided by the system into the observation said
  - A Wit's correct.
  - 7 7 produce this picture?
  - A Broth.
- I And the vertical synchronization one to the the theorem, which is in the composite or a lotter stated gare, is always looked in phase with the click click at mal a distinction the interrupt signal for the state open timing appreciation, is that correct?
- A year It is in phase with the SR-1 clock signal. The is derived from the color terst in a first to the signal and the the it is symphemized to that signal, year.
  - Q The same than synchronized to say -

Levelency, you say?

No. Yes, and that were

t3

5

6 7

9

10

11 12

18

19

0

14 16 17

13 15

1

27		8	-
4	5 1	10	

Q So that signal is the source of SR-1 and that signal is also the source of the vertical synchronization signals for generating the composite television video signal and for creating a display on the television screen, is that right?

The first two, yes. The second two, it is not used in the system for creating that picture on the screen, no. All to be.

- It's provided by the system into the television stidets to get down to the 10 community of the second.
- Ania That's correct. West to a lag signal ?
  - Q To produce that picture?
  - Right on that same signal there as this r ord-
- Que And the vertical synchronization signal for the television screen, which is in the composite video in the Mattel game, is always locked in phase with the STIC chip clock signal and with SR-1, the interrupt signal for the STIC CPU timing operation, is that correct?
- It is in phase with the SR-1 clock signal. A It is derived from the color burst frequency and in the sense that it is synchronized to that signal, yes.
- They are both synchronized to the color burst 0 frequency, you say? from that same source and
- A Yes, and that wording tends to imply that there is content in the color burst signal that knows when that's

happening and when it is not, but it comes from that and is counted down from that and therefore, of course, is synchronized to the edge of that. There is no significance to that as far as use of that system is concerned but it is a true statement.

- Q If I want to know the significance, Dr. Chandler, I'll ask you.
  - A All right.

1

2

3

4

5

6

7

8

9

0

- Q That's accomplished by counting down, you say, by using dividers to get down to the 60 cycle SR-1 signal, STIC chip signal and the vertical sync signal?
  - A That's correct.
- Q And from that same signal there are two micro-processor clock signals, Phi-1 and Phi-2, is that correct?
  - A Yes, it is a two-phase clock signal, yes.
  - Q And that's at 1.79 megahertz?
  - A Approximately.
  - Q Or megacycles per second approximately?
  - A Yes. It doing anything else.
- Q One-half of the color burst signal that is used in the color television set?
  - A That's correct.
- Q Now, also from that same source the Mattel game generates a horizontal synchronization signal, doesn't it, by dividing down and selecting pulses at about 15,720 cycles per second or hertz?

A Yes, for the horizontal sync, yes.

- And somehow from that same set of signals there is a horizontal blanking signal and a vertical blanking signal generated in the composite video?
  - A That's correct, yes.
- And they are all synchronized together, all divided down from the same signal and, therefore, always are in lock step?
- A That's correct. and horizontal synt and all of the

2

3

4

5

6

7

8

9

- Now, if you just disconnected any one of those, the system cut any one of those out, the system would not function without doing something else; isn't that true?
- A Well, certainly if you take a signal away and don'treplace it with something that can perform the function, it would quit working, that's correct.
- And if you used any different clock signal, for example, for the CPU clock, that would cause you some worry, would it not?
  - A Well, not if I had -- not if I were using that.
  - Q Without doing anything else. d the queen
- A Well, not if I were using that same clock signal for the rest of the things it depended on relating to the CPU; that would work fine.

If you just take the CPU by itself and put it on different clock signals, it isn't going to work.

But nobody would do that.

So you have to somehow use that in interrelationship with other components other than the CPU, including the STIC chip; isn't that right?

3

6

7

8

9

0

1

2

A As far as the portion of the STIC chip which is communicating with the CPU, would have to be; as far as the rest of the functions are concerned, it would not have to be.

So when you said it is convenient to use the same signal for vertical sync and horizontal sync and all of the other signals in the TV receiver, or output, and in the, as you say, in the composite video signal that goes to the TV set, and in the various components, it would take a redesign of the receiver to do it any other way, and it would be less convenient according to your testimony the other day, isn't that correct?

MR. COOK: Objection, your Honor. I am not sure the question is clear. I think it should be -- it was restated several times in the middle of the question.

MR. ANDERSON: If the witness understands it --

THE COURT: Do you understand the question?

THE WITNESS: I am not sure I do.

THE COURT: Why don't you rephrase the question?

MR. ANDERSON: Sure.

BY MR. ANDERSON:

Q Isn't it a fact, Dr. Chandler, that if, as you -I will start over.

Isn't it a fact, Dr. Chandler, that to use a different signal, not based upon the same colorburst source of signals to operate the CPU, would require you to also change certain other clocks to other components, including the STIC chip; and it would be inconvenient and require a redesign of the game?

A If you are starting from a completed design as we now have and wanted to make that change, yes, it would require redesign.

begin with then the magnitude of the design difference would be very insignificant.

It is more convenient to use it, and since it is there and no reason not to use it, we did. But that's about the extent to the significance of that interdependence.

Q In fact, all of the operations of the game, and the TV set, are correlated together through that basic signal that includes vertical and horizontal sync, isn't that correct?

A I think that's too broad a statement. Certainly the relationship to the TV set is all tied to that, and that's why those signals were picked and why they were there,

because we have to tie it to a TV set.

But the functions going on within the computer end of the thing are, at best, very vaguely related to that set of signals.

Q Now, the CPU and the STIC, for example, are trying to communicate with the same devices as you suggested in your direct testimony, isn't that correct?

A The communication link between the two, of course, is necessary. And that has to be synchronized in some fashion. There are a number of ways of doing that. And we elected to use the one which we did. But there are a number of others that could have, and it would not change significantly the nature of what's going on.

Q : Now, doesn't the interrupt signal, SR-1, that's called, what, Service Request 1?

A Probably, I'm not sure.

Q are Is that what the SR stands for.

A . Probably.

Q The STIC chip issues that Service Request SR-1 to interrupt the CPU and cause the CPU to update the data in the STIC chip, is that right?

A Well, it's -- to say that it causes the STIC -the computer to update the data is an incorrect statement,

I think. It is, it is a signal to the CPU to tell it that
it now has access to the STIC chip and the rest of the circuitry

in the STIC bus to do whatever it wants to. And that's the only time period in which it is allowed to go in and talk to the CPU -- to the STIC system. But that's the extent to which that --

- Q And I think you testified normally and in most of the games that we are talking about that does happen?
  - A Yes.
- Q CPU does update the STIC chip data during the vertical retrace time of the television set, as indicated by vertical sync, in response to the service request of the CPU in the normal course of the operation of the game?
- A Yes, that's the normal time in which the CPU communicates with the STIC system and that supplies it new information, new instructions.
- Now, as the game is now built if it didn't use SR-1 synchronized with vertical sync so that the CPU might try to update the data while the STIC chip were also causing a display on the television screen some random matter, that would create problems, wouldn't it?

THE WITNESS: Say that one again.

MR. ANDERSON: Would you read it back?

THE COURT: Please read the question back.

(Question read.)

#### BY THE WITNESS:

A Well, I think you take any one design, including

this one, and eliminate any future of it, it is not going to work.

But to say that's crucial and that we could not have done it some other way with the same effect is wrong implication.

# BY MR. ANDERSON:

So in your design, it becomes critical that the Service Request from the STIC chip be synchronized with vertical sync in order to update the STIC chip during the vertical retrace time?

A Well, no more so than it is critical to have any other connection made in the system.

Q All right. Now, during your direct examination, you described the signal used to interrupt the program, and at Page 798, you said the STIC chip outputs a two-faced clock which is used as a clock signal for the CPU. And at that point you indicated that this was a convenient way to do it. And is it correct to do it any other way would create a problem?

:

1 2 3

MR. COOK: Your Honor, perhaps it might be fair to the witness to let him see the testimony to which counsel is referring.

MR. ANDERSON: All right, I have no objection to that.

THE COURT: All right.

MR. ANDERSON: Actually, the quote is at the top of page 799.

I'll just strike that question, now that you have it in front of you.

#### BY MR. ANDERSON:

Q I will just ask you if it isn't a fact that the clock signals that are used to clock the CPU, the 1.79 megahertz signal, is in fact related to what is happening in terms of display in view of the signal being synchronized with horizontal, vertical sync and all the other signals that I have mentioned?

A No, I guess I would have to say I don't see that it is related to the display in terms of creating the information as to where objects should be or what they should be or any of that sort of thing. The CPU does not use that information in any way in its computations as to deciding what to do.

Q The CPU must perform its operations in the normal case, at least, within the vertical retrace time of the

television receiver; isn't that correct?

A Well, the only function that must perform at that stage of the game is its communication with the STIC system, just to be able to supply information to the STIC chip and read out any information from it that it wants to. It is strictly communication timing relationship and has nothing to do directly with the computations of game play or position of objects or anything relating to the display itself.

Q With respect to the complete video signal that is generated in the Mattel game, isn't it a fact that that complete video signal for displaying the hit and hitting symbols and the background of the game could be indistinguishable whether the mechanism employed was a microprocessor or a hand-wired LSI or even discrete transistors?

MR. COOK: Objection, your Honor, the use of the term "hitting and hit symbols," there is no antecedent for it. Since there seems to be some discussion and confusion on the part of Magnavox as to what the hit and hitting symbols are in the game, it seems to me the guestion should be more specifically directed to a specific game.

THE COURT: No, the objection is overruled.

Let Mr. Anderson put his question. If there is some inability of Dr. Chandler to answer, he can say so.

The objection is overruled.

MR. ANDERSON: Thank you, your Honor.

THE WITNESS: I would like to hear the question again.

THE COURT: Read the question to the witness.

(Question read)

MR. ANDERSON: I'll strike that, your Honor, and restate it. I misspoke slightly.

2

3

4 5

6

7

8

9 10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

BY MR. ANDERSON:

Dr. Chandler, couldn't the complete video signal for displaying the hit and hitting symbols and the background of a game such as a Mattel game be indistinguishable whether the particular mechanism employed was a microprocessor or a large scale integrated circuit or even discrete transistors and other components wired together.

MR. COOK: I have to object, your Honor.

I frankly don't understand the question, but I defer to the witness.

#### BY THE WITNESS:

A . Well, there is a lot implied in that question, Whether you could in fact produce game play characteristics of the nature that we are producing with hardwired circuitry is questionable, I think, Certainly, if you did that and if you were successful in getting that kind of game play developed and this sort of thing and produced a signal which a television set would accept, that's -- I mean, by the time you get to the output to the television set the requirement is that it be a signal that the television system can accept and it has to be a format that's common.

So to the extent that you can produce that kind of game play capabilities otherwise then the output, the signal would be the same. It has to be in order to

3

8

9

10 11

12

13 14

. 3 15

16

17

18 19

20

22

23

24

25

21

interface the TV set.

THE COURT: All right.

MR. ANDERSON: Thank you.

BY MR. ANDERSON:

Now, with respect to the difficulty of accomplishing the game play characteristics, is that because it might take thousands of transistors to do it or several LSIs?

A That's one of the aspects that would be involved. I guess the other aspect is the ability to change to different games easily and things of that sort, which is certainly an important feature of the system.

Q Yesterday you testified a bit about changing the speed of the Mattel game by throwing a switch, I believe.

By pushing -- by which button it is you push in the hand controller to bring up the game.

When the player presses that button, will you Q please describe how the system then operates to change the speed of the game?

In the program there's in the executive ROM in the system, there is a sequence of instructions that go and examine that key pad that brings the thing up and based on which key it is, it sets some -- sets a number in a register which is used as a basic counting, time counting register that controls the speed of the operation of the

Ę

system, of the game play computations.

Q Can you describe in more detail how that button functions and what it does in the game to change the speed of the game?

A Well, the button itself is -- it is one of the various inputs that the hand controller is capable of inputting into the system. The microprocessor is capable of reading that code and knowing which button it is and based on what that answer is that comes back, the program goes and sets a value in a register that is used as part of the timing circuitry, the timing program for game play operation.

n 1

3

5

7

9

10

12

15

16

17

18

9

0

2

6

8

11

13

14

1

to the ball in play, covered, I think, baseball rather specifically, but in football, when the football, when the controlled defensive captain intercepts the pass and has

the ball, when he is finally stopped, isn't it a fact that

the ball appears where he was stopped and that's the new

scrimmage point in the play of the game?

I'm only interested in the speed change and what code or what particular routine or whatever it is is used. Do you know what that: is?

I'm not sure what the name of the register is that We would have to look through the executive program to find that, and I'm not sure that the name of that register is important. There is a register in there that is a number which is used in counting down the clock signals to arrive at timing, counting out time outs of any of the functions that are time dependent, simply change that number, it changes the rate, the time rate at which counters, clocks, if you will registers that are being used as counters, time out and actions are based on when those registers time out and you simply change the rate at which all that's happening.

Q And pressing the button to change the speed merely changes that number, which is a variable to the play of the game or the system?

One other thing that came up yesterday with respect

That's correct.

MR. COOK: Objection, your Honor. The form of the question is misleading and mischaracterizes the testimony. There has never been any testimony by this witness that there was any ball when it was caught, contrary to the testimony, the ball disappeared. The question is improper.

MR. ANDERSON: If I can have the question reread, I didn't intend to misstate the question, but I may have misspoken.

THE COURT: Will you read the question, Miss Court Reporter.

# (Question read)

MR. ANDERSON: I think the question was proper, your Honor.

MR. COOK: Your Honor, there is no testimony that says the defensive player has the ball.

THE COURT: Well, the objection is overruled. Let's proceed.

MR. ANDERSON: Thank you, your Honor.
BY THE WITNESS:

A Well, I think I would have to make the same statement, that I don't think I testified that the receiving captain has the ball at that point. The ball disappears and it is not true that scrimmage starts at that point necessarily for the next game -- for the next play.

BY MR. ANDERSON:

Q Now, I watched the game; I saw a little white dot appear after the interception and the man was tackled. Was that little white dot to represent the ball, Dr. Chandler?

A In the particular plays that we had, we may very well have had a situation which we did not move the receiver at that point. But certainly if that man can be run, it can be run to any other place, and wherever that man runs is where the play will start for the next play.

You may have misunderstood my question.

Where that -- and I think this is the way it reads, but let's make sure.

I am asking when the defensive captain, the player-controlled captain, intercepts the ball and is later stopped by an opponent, where he is stopped by the opponent, the ball appears for the next down, is that correct?

A That's correct, yes.

1

2

3

4

5

6

- Now, the system, I presume, knows that that's where the ball should be for the next down in order to put it there, isn't that right?
- A Well, I don't know whether saying knows that that's where the ball should be is quite the right language, but certainly the program is one that says when we get ready to initialize the next play, that's the place that we will place the ball into action for the next play.
- Q But the ball for the next play isn't where you say it disappeared, but it is where that player who caught it is stopped?

A That's correct.

5

7

8

6

9

10

11

12

13 14

15

16

17

18 19

20

21

2

3

4

AH-10.

With respect to your testimony yesterday, I would like to refer you specifically to several parts of the transcript, starting at Page 917. The first is at the bottom of 917 where you were asked: "How are the graphics displayed in this system?"

And perhaps we should have, I think it is

And your answer was: "They are related by a separate display processor which utilizes information which has been supplied to it by a separate game play programmer, processor."

Was the "programmer" just a misstatement?

- A It was a misstatement, yes.
- So it should read, "Game," it should read, "Game play processor?"
  - That's correct.
- Now, this block that you have labeled Back Tab RAM and 16-bit RAM, that's also known as the System RAM?
- We sometimes call it System RAM and sometimes call it Control RAM.
- Is that a part of the game play processor which I understand includes at least the CPU; or is that a part of the display processor which I understand includes the STIC and perhaps more?
  - It is shared by both. There are portions of it

that are used exclusively by the game play processor. There are portions of it that are used exclusively by the display processor. And there is the one section, the back tab section, which is a communication section between the two. It is a handshaking section where the CPU puts instructions and the display processor uses those instructions out of that common store.

Now, the GROM and the GRAM, would you say that's a part of the display processor?

A Yes.

Now, on Page 918 you were asked: "Where do the patterns for the objects or symbols originate?"

And you answered the question: "They are provided to the graphics RAM or graphics ROM from the computer, which is the game play processor."

Now, first, are you saying that the CPU is a computer in your nomenclature, or something else?

A CPU is a part of the computer. To be a computer it takes the rest of the elements that we have over there in the left-hand side.

And when I say CPU, it is actually the CPU that is doing the direct communication with another device like the graphics RAM.

The basis for it doing that communication comes from the program store and memory and what have you that's

- in the rest of the computer function.
  - Q So it is not just the microprocessor?
  - A It is not just the microprocessor.
  - Q That you consider to be a computer?
  - A That's correct, yes.
- Q It includes the microprocessor, which we have labeled CPU, and the executive RAM?
  - A Executive ROM, yes.
  - Q ROM, I'm sorry. And 8-bit RAM?
  - A Yes.
- Q The hand controllers and the game cartridge, such as tennis?
- A Yes. The hand controllers are gray as to whether you include that as part of the computer or not. But the ability to communicate with an outside device is important.

Now, you state that: "The patterns of the objects are provided to the graphics RAM or graphics ROM from the computer."

MR. COOK: Can we have a reference to the page of the transcript?

MR. ANDERSON: Same page, 918.

# BY MR. ANDERSON:

Now, isn't it a fact that the little pictures and the graphics are permanently stored in the ROM, the graphics ROM? They are never removed from that?

A That's correct. If I said, if I included graphics ROM in this statement yesterday, it was a misstatement. The graphics ROM cannot be written into, and the computer does not write into the graphics ROM.

Q With respect to the graphics RAM, the randomaccess memory for the pictures the descriptions of the
pictures of the information, the data that defines the
pictures, comes from the game cartridge and is put into
the graphics RAM, is that right, at the beginning of play?

A Yes. There are two processes that are involved.

One is to take patterns directly from the game play cartridge and translate them over to the graphics RAM.

Another mode of operation is to take instructions for computing patterns and transferring those, creating those patterns and putting them into the graphics RAM,

in which case those instructions come from the cartridge But the patterns are not there.

Q With respect to the hit and hitting symbols in the six games we are talking about, do you know which of those two is used or whether they are both used?

A I have not examined the programs in enough detail to identify that. I suspect that almost all, if not all, are direct patterns that have been transferred over.

Ball patterns probably have not. They have probably been computed.

But the complex patterns probably have all been transferred as patterns.

- Q The ball pattern is just a dot, isn't it?
- A Well, it is several dots. It makes up a bigger than -- it is bigger than a single pixel. But it still is a pattern and has to be stored in the graphics RAM and displayed from there as an object.

- Q Then later on down that page, you were asked:
- "Q Are the patterns for the objects or symbols generated by the display processor?
- "A The patterns are not generated by the display processor, no."

It is a fact that the patterns are stored in the GROM and the GRAM, the graphics ROM and the graphics RAM, is that right?

- A That's correct.
- And they are just applied at the right time, controlled by the display processor, the STIC chip, to generate the composite video and make up the picture?
  - A That's correct.
  - Now, on the next page, Page 919, you were asked:
  - "Q And where does this information come from?". The same and bear line in a second

You may have to read your last answer, which relates to the graphics.

"Q And where does this information come from?

"A This is provided to the STIC chip by
the computer, the game play processor,"
now, are you there suggesting that it is just the game play
processor that makes up the computer, or did you mean to

include in that answer the executive ROM and so forth that

you just testified about?

A Well, to me the game play processor is synonymous with the computer. I don't mean just the microprocessor when I say the game play processor. I mean the entire processor on the left-hand side, which is a digital computer.

- Q So you are not suggesting that the micro -- a microprocessor is a computer?
  - A That's correct.
  - On Page 920, Dr. Chandler, you were asked:

"Q How does a display processor generate the display signals for objects or symbols to be displayed on the screen?

"A For the moving objects, which is what we are primarily concerned about, the information is assembled during the horizontal retrace time for each scan line on a TV, for the eight possible lines of object data for that particular line of TV scan and then during the scan time, during the picture time of that scan the horizontal position for each of the moving objects is compared with the position of the scan across the screen," et cetera.

You can read through it.

Now, isn't it a fact, Dr. Chandler, that first the information is assembled for an entire frame of the TV

picture, an entire display, and during the retrace time, in response to SR-1, the Service Request that's synchronized with vertical sync, that picture is, for the whole frame, is loaded into or identifiers for that picture are loaded into the STIC chip?

A I think you have said two or three different things in that statement.

Q I apologize if I did. My nomenclature may not always be perfect in this art.

A I can appreciate that.

MR. COOK: Your Honor, it seems to me -- I have the same reservation. I am trying not to object.

Perhaps counsel could specifically present which part --

THE COURT: Dr. Chandler has recognized there are several parts to the question. He is trying to answer it.

MR. ANDERSON: Thank you, your Honor.

THE COURT: Let's proceed.

### BY THE WITNESS:

A The testimony that you started out by referring to has to do with the activity that is involved by the display processor to create the display from the information that has defined what the picture is, and that is not done total frame at a time. That is done line by line, as far as the actual creating of the output signal to go to the TV set. The display processor function is done line by line. The last part of what you were talking about had to do with when does the definition of what do we want displayed for a screen get transferred into the display processor and, yes, there is — the necessary statements, the necessary information as to what do we want this next

frame of picture to be, not bit by bit, but in terms of a definition is transferred into the display processor, the various portions of the display processor during the vertical retrace time by the computer.

- Q And once that transfer by the CPU, the game processor is accomplished during vertical retrace time, everything else you described occurs without further reliance on the game processor, is that correct?
- A That's correct. From that point on, it is just a display process.
  - Now, at page 922, Dr. Chandler, you were asked:

    "Are any delay circuits or networks used to
    determine the position of objects or symbols or
    to cause discrete movements of those objects or
    symbols?

"Answer: No, in all cases they are computed."

Dr. Chandler, when you were asked that question, did you understand that a delay circuit meant something that causes one event to occur sometime after a prior event in a system, a game system?

A Well, in the sense in which this was -- this conversation was taking place had to do with delay circuits that relate to delays from sync pulses or timing signals relative to the display of the picture.

If you want to take a very broad interpretation

anything that's talking about time elapse from a game play standpoint I suppose could be interpreted as delay, and that was not the sense in which I was answering the question.

Certainly, there are time related functions as far as game play is concerned. When do we want an object to move to some other place has nothing to do with the detail timing relationship in the display process. That was the sense in which I was answering.

Stangerint were were an another and a line of eachs for

more that end to the question

was one of the control of the Abide ble

L. Silver value of the contract

 Q But in fact, in the Mattel game, there are circuits for producing a delay between vertical sync and the indication of what line the particular moving object, a hit or hitting symbol, should be displayed, isn't that correct?

A There is circuitry which you could describe as delay circuitry in the process of displaying, of creating display signals. The distinction I'm making is that those delays are in no way involved in deciding from a game play standpoint where we would like to have those objects be or what those objects should be. That's the distinction.

MR. ANDERSON: Your Honor, I would like to move to strike the answer. I think the question was simple and straightforward. I don't think the answer was responsive.

MR. COOK: It is perfectly responsive, your Honor.

THE COURT: Would you read the question and answer.

MR. COOK: He asked a specific question and he is entitled to a specific answer.

(Record read)

THE COURT: The motion is denied. Let the answer stand.

BY MR. ANDERSON:

Q Dr. Chandler, was your answer "Yes" or "No" to my question, with the explanation you have given?

A It would have to be "Yes and no," because your question really implied two different things, and I attempted to answer the two different pieces separately.

THE COURT: Proceed.

Jo Camera In Camera Confidential